

INSTALL IT. TRUST IT.

ArmaFlex Cleaner

Special cleaner for use with all ArmaFlex adhesives

// Cleaning from surfaces
// Cleaning dirty brushes and tools

www.armacell.com





9

TECHNICAL DATA - ARMAFLEX CLEANER

| Brief description | Special solvent based cleaner for use with all ArmaFlex adhesives. | | |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|--|
| Additional material information | Liquid | | |
| Product colour range | Clear | | |
| Applications | Cleaning of surfaces where ArmaFlex adhesive are to be used. | | |
| nstallation | To ensure perfect adhesion all contaminated surfaces - including contaminated ArmaFlex must be cleaned. In addition, the cleaner can also be used to clean surfaces to which, for example, Armafinish 99 is to be applied. | | |
| Remarks | Please also use the ArmaFlex Cleaner to clean tools (except ArmaFlex Ultima EC0550 and ArmaFlex EC0550 adhesives). | | |
| Property | Value / Assessment | Standard / Test method | |
| Other technical features | | | |
| Disposal and recycling | Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company. Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. More details see relevant Safety Data Sheet. | | |
| Explosion limits | Lower: approx. 1 Vol-% Upper: approx. 13 Vol-% | | |
| Flash point | approx 20 °C | | |
| Hazard class | highly flammable liquid and vapour | | |
| Shelf life | 12 months | | |
| Storage | - Material shall be stored in a tightly closed container in a cool, well-ventilated place. Protect from heat and direct sunlight. Do not store together with: explosive substances, spontaneously combusting substances. | | |

Cleaner - standard

| ltem | Description | Content [quantity] |
|-------------|-------------------------------------------------|--------------------|
| CLEANER/1,0 | Special cleaner for use with ArmaFlex adhesives | 4 tin |

All data and technical information are based on results achieved under the specific conditions defined according to the testing standards referenced. Despite taking every precaution to ensure that said data and technical information are up to date, Armacell does not make any representation or warranty, express or implied, as to the accuracy, content or completeness of said data and technical information. Armacell also does not assume any liability towards any person resulting from the use of said data or technical information. Armacell reserves the right to revoke, modify or amend this document at any moment. It is the customer's responsibility to verify if the product is suitable for the intended application. The responsibility for professional and correct installation and compliance with relevant building regulations lies with the customer. This document does not constitute nor is part of a legal offer to sell or to contract.

At Armacell, your trust means everything to us, so we want to let you know your rights and make it easier for you to understand what information we collect and why we collect it. If you would like to find out about our processing of your data, please visit our Data Protection Policy.

Trademarks followed by ® or ™ are trademarks of the Armacell Group. © Armacell, 2024. All rights reserved

Adhesive and cleaner | ArmaFlex Cleaner | Brochure | 012025 | en-GE

ABOUT ARMACELL

As the inventor of flexible foam for equipment insulation and a leading provider of engineered foams, Armacell develops innovative and safe thermal and mechanical solutions that create sustainable value for its customers. Armacell's products significantly contribute to global energy efficiency making a difference around the world every day. With more than 3,300 employees and 25 production plants in 19 countries, the company operates two main businesses, Advanced Insulation and Engineered Foams. Armacell focuses on insulation materials for technical equipment, high-performance foams for acoustic and lightweight applications, recycled PET products, next-generation aerogel technology and passive fire protection systems.

